



预见 未来
Predict the future

未来 已来
Future is coming

进 无止境！
Improvement is endless !



江苏汇鸿畜产嘉瑞机电有限公司

地址：江苏 南京市中华路 50 号国贸大厦 1418 室 邮编：210001
电话：0086-25-5220 5200 邮箱：miky@jabp.com

Jiangsu animal by - products imp. and exp. group corp.

Add: Room 1418, 50 Zhonghua Road, Nanjing, china. Postcode: 210001
Tel: 0086-25-5220 5200 E-mail: miky@jabp.com



Since 2000

CONTENTS

GARDEN ACCESSORIES

BRUSH CUTTER BLADE 03

GS-DRAGON 蒼龍	03
GS-PHOENIX 火鳥	04
GS-TIGER 白虎	05
GS-LION 金獅	06
GS-BAMBOO 竹王	07
GS-THOR 雷神	08
GS-LORD 霸王	09
GS-FOREST 山林君	10
GS-SHARP 極	11
GS-LIGHT 輕量王	12
GS-TIP 牙神	13
GS-EAGLE 神鷹	14
GS-STRONG 強刃	15
GS-CUTTER 草刈職人	16
GS-SNAKE 蝰蛇	17
GS-WOLF 赤狼	18
GS-BASIC (2PCS/SET)	19
GS-COBRA 眼鏡蛇	20
JBC-01-19	21
JMC-01-09	22

TRIMMER LINE 23

TRIMMER HEAD 29

STRAP 37

SAFETY GOGGLE 39

DIY SAW BLADE

T.C.T. CIRCULAR SAW BLADE 43

CUTTING WOOD	43
CUTTING ALUMINIUM	44
CUTTING STEEL	45
MULTI-CUTTER	46

DIAMOND SAW BLADE 47

SEGMENT TYPE	47
CONTINUOUS TYPE	48
TURBO (COLD)	49
TURBO (HOT)	50
"W" NET TYPE	51
SEGMENT (EVEN DISTRIBUTION)	52
FOR UNIVERSAL	53
FOR CONCRETE	54
FOR GRANITE / MARBLE	55
FOR ASPHALT	56

DIAMOND CUP WHEEL 57

BI-METAL HOLE SAW 61

VALUES 63

GARDEN ACCESSORIES

BRUSH CUTTER BLADE

STRAP

TRIMMER LINE

SAFETY GOGGLE

TRIMMER HEAD

PREDICT
THE FUTURE

IMPROVEMENT
IS ENDLESS

FUTURE
IS COMING


ART NO.
GS-DRAGON 蒼龍



JIS JQA
認証番号: JQCN18005
日本工業規格適合認証製品
JIS B 9212:2018

JIS : Japanese Industry Standard

Tip "4 sides" polishing
"U" type tip welding for safety



ART No.	GS-DRAGON-230	GS-DRAGON-255
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	36P	40P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM


ART NO.
GS-PHOENIX 火鳥



JIS JQA
認証番号: JQCN18005
日本工業規格適合認証製品
JIS B 9212:2018

JIS : Japanese Industry Standard

Tip "4 sides" polishing", special
48Tips for multi-cutting any grass



ART No.	GS-PHOENIX-230	GS-PHOENIX-255
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	48P	48P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM

ART NO.
GS-TIGER 白虎



ART NO.
GS-LION 金獅




JIS JQA
認証番号: JQCN18005
日本工業規格適合認証製品
JIS B 9212:2018

JIS : Japanese Industry Standard

JIS JQA
認証番号: JQCN18005
日本工業規格適合認証製品
JIS B 9212:2018


JIS : Japanese Industry Standard

Special "Round" big tip for fast cutting



ART No.	GS-TIGER-230	GS-TIGER-255
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	36P	40P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM

3 times bigger strong tip size, strong for cutting hard grass and even smaller tree.




ART No.	GS-LION-230	GS-LION-255
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	32P	36P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM

ART NO.
GS-BAMBOO 竹王



60 Tips: "Left+Right" welding way, ensure the fast and smooth cutting for bamboo the tough grass.



認証番号: JQCN18005
日本工業規格適合認証製品
JIS B 9212:2018

JIS : Japanese Industry Standard



ART No.	GS-BAMBOO-230	GS-BAMBOO-255
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	60P	60P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM

ART NO.
GS-THOR 雷神




認証番号: JQCN18005
日本工業規格適合認証製品
JIS B 9212:2018

JIS : Japanese Industry Standard




Special "L" shape tip for fast and safety cutting,the tip won't come out because of the special "L" shape design, it's very new!



Revolutionary Design

Super safe "L" tips welding design ensures the maximum carbide tip does not break.




ART No.	GS-THOR-230	GS-THOR-255
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	36P	40P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM


ART NO.
GS-LORD 霸王




ART NO.
GS-FOREST 山林君



Surprised big "L" shape tip with super safety design.




The blade body sharpener edge



Tip "4 sides" polishing
"U" type tip welding for safety

Revolutionary Design

The strongest item in the grass cutter history





The special "L" carbide tip and welding way ensure the very safety cutting grass

ART No.	GS-LORD-23036	GS-LORD-25540
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	36P	40P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM



"Left+Right" welding,
ensure the smooth cutting




ART No.	GS-FOREST-23050	GS-FOREST-25560
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	50P	60P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM




ART NO.
GS-SHARP 極



The cutting speed and sharpness **NO.1**



"J" type
Tipe"4" side special angle polishing, the fastest and smoothest cutting




The ultimate tip 45degree polishing

ART No.	GS-SHARP-23036	GS-SHARP-25540
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	36P	40P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM


ART NO.
GS-LIGTH 轻量王



256 pcs holes on the blade body design ensure the super-light, only 328.3g, greatly reduce the weight, save the energy.



328.3g(255mm)
weight
256 pcs holes



Tip "4 sides" polishing
"U" type tip welding for safety

ART No.	GS-LIGTH-23036	GS-LIGTH-25540
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	1.8mm	1.8mm
body thickness	1.25mm	1.25mm
Tip Number	36P	40P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM

ART NO.
GS-TIP 牙神






ART NO.
GS-EAGLE 神鷹



Surprised 110 tips

"Left+Right" welding,
ensure the smooth cutting




"j" type
Tip "3" side polishing

Specially for bamboo,
tea and tree cutting

ART No.	GS-TIP-230100	GS-TIP-255110
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	100P	110P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM



"U" type welding
"4" sides tip polishing
for fast cutting



Special "long kerf" design
to protect the carbide tip



The two "Up-turned" body
designs just like the wings
of an eagle, prevent grass
from getting involved

Special "long kerf" design to
protect the carbide tip

ART No.	GS-EAGLE-23030	GS-EAGLE-25532
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	30P	32P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM

ART NO.
GS-STRONG 強刃





ART NO.
GS-CUTTER 草刈職人



Special design for safety-life
cutting the grass in the stone




Special "Anti-kick"
design to protect the
next tip



ART No.	GS-STRONG-23036	GS-STRONG-25540
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	36P	40P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM




Special "Anti-kick" design
to protect the next tip



ART No.	NGS-CUTTER-23036	NGS-CUTTER-25540
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	36P	40P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM


ART NO.
GS-SNAKE 蝮蛇



The tip is designed according to the principle of "sickle"



Big "R" carbide tip for fast cutting grass



ART No.	GS-SNAKE-23036	GS-SNAKE-25540
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	36P	40P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM


ART NO.
GS-WOLF 赤狼



2 times bigger carbide tip



"Round" tip for fast cutting



ART No.	GS-WOLF-23032	GS-WOLF-25536
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	32P	36P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM


ART NO.
GS-BASIC (2PCS/SET)



Standard and the most popular grass cutter blade



Tip "4 sides" polishing
"U" type tip welding for safety



ART No.	GS-BASIC-23036	GS-BASIC-25540
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	36P	40P
Max speed	10000rpm	10000rpm
Qty./Ctn	20SETS/Ctn	20SETS/Ctn
PACKAGE SIZE	25CM x 25CM x 16CM	28CM x 28CM x 17CM

ART NO.
GS-COBRA 眼镜蛇




Speical "Ring" holes for reducing the air-resistance

* Especially for battery grass cutter machine




"Round" big carbide tip for fast and long life cutting grass.



ART No.	GS-COBRA-23030	GS-COBRA-25534
Diameter	230mm	255mm
Hole	25.4mm	25.4mm
Tip thickness	2.0mm	2.0mm
body thickness	1.25mm	1.25mm
Tip Number	30P	34P
Max speed	10000rpm	10000rpm
Qty./Ctn	40PCS/Ctn	40PCS/Ctn
PACKAGE SIZE	32CM x 28CM x 24CM	36CM x 30CM x 24CM

JBC-01



JBC-02



JBC-03



JBC-04



JBC-05



JBC-06



JBC-07



JBC-08



JBC-09



JBC-10



JBC-11



JBC-12




JBC-13



JBC-14




JBC-15



JBC-16




JBC-17



JBC-18



JBC-19



JMC-01



JMC-02



JMC-03




JMC-04



JMC-05



JMC-06



JMC-07



JMC-08



JMC-09






Round - D

SPEED★★★★★

LIFE★★★★★

SILENCE★★★★★



長さ50m
3.0mm
丸

Safety + life is preferred

ART No.	D	Length	Qty	Qty
NC-01	2.2mm	15m	10	120
		50m	10	40
	2.4mm	15m	10	80
		50m	10	40
	3.0mm	15m	10	80
		50m	10	20




Star

SPEED★★★★★

LIFE★★★★★

SILENCE★★★★★



長さ80m
2.4mm
星

Safety + speed is preferred

ART No.	D	Length	Qty	Qty
NC-04	2.2mm	15m	10	120
		50m	10	40
	2.4mm	15m	10	80
		50m	10	40
	3.0mm	15m	10	80
		50m	10	20



Square

SPEED★★★★★

LIFE★★★★★

SILENCE★★★★★



長さ50m
3.0mm
角

Safety + speed is preferred

ART No.	D	Length	Qty	Qty
NC-02	2.2mm	15m	10	120
		50m	10	40
	2.4mm	15m	10	80
		50m	10	40
	3.0mm	15m	10	40
		50m	10	20



Teeth

SPEED★★★★★

LIFE★★★★★

SILENCE★★★★★



長さ50m
3.0mm
歯状

Teeth shape ensure the "Fast Speed + long life"

ART No.	D	Length	Qty	Qty
NC-05	2.2mm	15m	10	120
		50m	10	40
	2.4mm	15m	10	80
		50m	10	40
	3.0mm	15m	10	80
		50m	10	20



Square Twist

SPEED★★★★★

LIFE★★★★★

SILENCE★★★★★



長さ50m
3.0mm
ツイスト

Silence + speed is preferred

ART No.	D	Length	Qty	Qty
NC-03	2.2mm	15m	10	120
		50m	10	40
	2.4mm	15m	10	80
		50m	10	20
	3.0mm	15m	10	80
		50m	10	20




Round - D

SPEED★★★★★

LIFE★★★★★

SILENCE★★★★★



長さ50m
2.4mm
丸

New two color design (Safety + life is preferred)

ART No.	D	Length	Qty	Qty
NC-06	2.2mm	15m	10	120
		50m	10	40
	2.4mm	15m	10	80
		50m	10	20
	3.0mm	15m	10	40
		50m	10	20



Ellipse

SPEED★★★★★

LIFE★★★★★

SILENCE★★★★★

Ellipse Dual Twist Line

ART No.	DIAMETER	15M-PET	1/2LB PP	1LB SPOOL	5LB SPOOL	10LB SPOOL
NC-13	1.6mm	15m	97m	228m	1140m	2280m
	2.0mm	15m	63m	125m	625m	1250m
	2.4mm	15m	44m	86m	433m	865m
	2.7mm	15m	36m	68m	341m	682m
	3.0mm	15m	28m	287m	278m	556m



Teeth-D

SPEED★★★★★

LIFE★★★★★

SILENCE★★★★★

Teeth Dual Line

ART No.	DIAMETER	15M-PET	1/2LB PP	1LB SPOOL	5LB SPOOL	10LB SPOOL
NC-14	3.0mm	10m	25m	50m	250m	500m
	3.3mm	10m	22m	48m	240m	480m
	3.5mm	10m	20m	45m	225m	450m



Teeth-F

SPEED★★★★★

LIFE★★★★★

SILENCE★★★★★

Teeth With 4 Sides

ART No.	DIAMETER	15M-PET	1/2LB PP	1LB SPOOL	5LB SPOOL	10LB SPOOL
NC-15	3.0mm	10m	25m	50m	250m	500m
	3.3mm	10m	22m	48m	240m	480m
	3.5mm	10m	20m	45m	225m	450m



Square

SPEED★★★★★

LIFE★★★★★

SILENCE★★★★★

Square Segmented Line

ART No.	DIAMETER	LENGTH	TQY.	WEIGHT
NCS-01	2.8mm	20m	40PCS	64G



Teeth

SPEED★★★★★

LIFE★★★★★

SILENCE★★★★★


Saw Teeth Segmented Line

ART No.	DIAMETER	LENGTH	TQY.	WEIGHT
NCS-02	2.8mm	20m	40PCS	80G


Shape	SPEED	LIFE	SILENCE
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★

Shape	SPEED	LIFE	SILENCE
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★
	★★★★★	★★★★★	★★★★★

ART NO.
JTH-07




Insert line from the one eyelet the opposite one



Turn the knob



Pull the line on both ends




Heavy duty nylon knob, strong and bumps resistant

Spare parts	
1	Spool without line
2	Core
3	Housing
4	Line retainer
5	Spring
6	Adaptor. 8mmx1.25LH
	Adaptor. 10mmx1.0LH
	Adaptor. 10mmx1.25LH
7	Cover
8	Adaptor
	Stud 7mm x 1.0LH
	Stud 8mm x 1.25LH
	Stud 10mm x 1.2LH
	SIZE:117 x 117 x 78(mm)
	WEIGHT:385g

ART NO.
JTH-10

Double line nylon head Φ 130 mm Complete with adaptor bolt.



Insert line from the one eyelet the opposite one



Turn the knob



Pull the line on both ends



Complete line winding by turning the knob

Spare parts	
1	Housing
2	Line retainer
3	Adaptor M 8x1.25 Left male(fits EMAK only)
	Adaptor M 8x1.25 Left female
	Adaptor M 8x1.25 Left male
	Adaptor M 10x1.00 Left female(fits ST only)
	Adaptor M 10x1.25 Left female
	Adaptor M 10x1.25 Left female(fits HU only)
	Adaptor M 10x1.25 Left male
	Adaptor M 10x1.50 Left male(fits HU only)
	Adaptor M 12x1.50 Left female
	Adaptor M 12x1.75 Left female(fits HU only)
	Adaptor M 14x1.75 Left female(fits ST only)
4	Spring
5	Spool without line
6	Upper cover
	SIZE:130x130x75(mm)
	WEIGHT:450g

ART NO.
JTH-01

TAP-N-GO



Material: Nylon PA6
Size:Φ115 X 85mm
Weight: About 300g

ART NO.
JTH-09

TAP-N-GO
Easy load



Material: Nylon PA6
Size:Φ140 X 80mm
Weight: About 460g

ART NO.
JTH-11


TAP-N-GO
Easy load



Material: Nylon PA6
Size:Φ120 X 90mm
Weight: About 350g

ART NO.
JTH-12

TAP-N-GO
T-35



Material: Nylon PA6
Size:Φ120 X 70mm
Weight: About 350g

ART NO.
JTH-02

TAP-N-GO



Material: Nylon PA6
Size:Φ130 X 70mm
Weight: About 400g

ART NO.
JTH-03

TAP-N-GO



Material: Nylon PA6
Size:Φ120 X 70mm
Weight: About 310g

ART NO.
JTH-04

TAP-N-GO



Material: Nylon PA6
Size:Φ115 X 45mm
Weight: About 230g

ART NO.
JTH-13

TAP-N-GO
T-25



Material: Nylon PA6
Size:Φ90 X 60mm
Weight: About 280g

ART NO.
JTH-14

TAP-N-GO
Mini type



Material: Nylon PA6
Size:Φ70 X 75mm
Weight: About 190g

ART NO.
JTH-15

WHIPS
Mini type



Material: Nylon PA6
Size:Φ60 X 58mm
Weight: About 150g

ART NO.
JTH-05

TAP-N-GO



Material: Nylon PA6
Size:Φ130 X 55mm
Weight: About 300g

ART NO.
JTH-06

TAP-N-GO



Material: Nylon PA6
Size:Φ130 X 65mm
Weight: About 410g

ART NO.
JTH-08

TAP-N-GO



Material: Nylon PA6
Size:Φ130 X 70mm
Weight: About 380g

ART NO.
JTH-16

TAP-N-GO



Material: Nylon PA6
Size: φ110 X 53mm
Weight: About 220g

ART NO.
JTH-17

TAP-N-GO
Two Lines & Four Lines



Material: Nylon PA6
Size: φ150 X 82mm
Weight: About 680g

ART NO.
JTH-18

TAP-N-GO
Easy Load



Material: Nylon PA6
Size: φ130 X 75mm
Weight: About 520g

ART NO. **JTH-19** *TAP-N-GO*
Easy Load



Material: Nylon PA6
Size: $\phi 130 \times 75\text{mm}$
Weight: About 460g

ART NO. **JTH-20** *TAP-N-GO*
Easy Load



Material: Nylon PA6
Size: $\phi 130 \times 75\text{mm}$
Weight: About 410g

ART NO. **JTH-21** *TAP-N-GO*
Easy Load
Four Lines



Material: Nylon PA6
Size: $\phi 130 \times 75\text{mm}$
Weight: About 380g

ART NO. **JTH-22** *TAP-N-GO*
Easy Load



Material: Nylon PA6
Size: $\phi 115 \times 78\text{mm}$
Weight: About 300g

ART NO. **JTH-23** *TAP-N-GO*
T-45



Material: Nylon PA6
Size: $\phi 140 \times 70\text{mm}$
Weight: About 540g

ART NO. **JTH-24** *TAP-N-GO*
Easy Load



Material: Nylon PA6
Size: $\phi 105 \times 68\text{mm}$
Weight: About 350g

ART NO. **JTH-25** *TAP-N-GO*



Material: Nylon PA6
Size: $\phi 140 \times 80\text{mm}$
Weight: About 515g


ART NO. **JTH-26** *TAP-N-GO*



Material: Nylon PA6
Size: $\phi 105 \times 70\text{mm}$
Weight: About 350g

To be continue . . .

ART NO. **JSH-01** *WHIPS*



Material: Steel S50C
Size: $\phi 120 \times 7\text{mm}$
Weight: About 160g

ART NO. **JSH-02** *WHIPS*




Material: Steel S50C
Size: $\phi 135 \times 16\text{mm}$
Weight: About 190g

ART NO. **JSH-03** *WHIPS*



Material: Nylon PA6
Size: $\phi 123 \times 55\text{mm}$
Weight: About 220g

ART NO. **JSH-04** *WHIPS*



Material: Nylon PA6
Size: $\phi 104 \times 17\text{mm}$
Weight: About 80g

ART NO. **JSH-05** *WHIPS*



Material: Aluminium ADC12
Size: $\phi 136 \times 27\text{mm}$
Weight: About 320g

ART NO. **JSH-06** *WHIPS*



Material: Aluminium ADC12
Size: $\phi 110 \times 19\text{mm}$
Weight: About 200g

ART NO. **JSH-07** *WHIPS*



Material: Aluminium ADC12
Size: $\phi 117 \times 60\text{mm}$
Weight: About 320g

ART NO. **WHIPS**
JSH-08



Material: Aluminium ADC12
Size: Φ73 X 46mm
Weight: About 240g

ART NO. **WHIPS**
JSH-09



Material: Aluminium ADC12
Size: Φ50 X 58mm
Weight: About 220g

ART NO. **WHIPS**
JSH-10



Material: Aluminium ADC12
Size: Φ119 X 23mm
Weight: About 210g

ART NO. **WHIPS**
JSH-17



Material: Alu. ADC12
Size: φ45X 70mm
Weight: About 245g

ART NO. **WHIPS**
JSH-18



Material: Alu. ADC12
Size: φ110X 53mm
Weight: About 305g

ART NO. **WHIPS**
JSH-19



Material: Alu. ADC12
Size: φ140X 62mm
Weight: About 570g

ART NO. **WHIPS**
JSH-11



Material: Aluminium ADC12
Size: Φ109 X 23mm
Weight: About 210g

ART NO. **WHIPS**
JSH-12



Material: Aluminium ADC12
Size: Φ45 X 51mm
Weight: About 180g

ART NO. **WHIPS**
JSH-13



Material: Aluminium ADC12
Size: Φ61 X 41mm
Weight: About 100g

ART NO. **WHIPS**
JSH-20



Chain trimmer head
Material: ADC12+Chain

ART NO. **WHIPS**
JSH-21



Material: Nylon PA6
Size: φ120 X 32mm
Weight: About 255g

ART NO. **WHIPS**
JSH-22



Size: φ255mmX25.4mmX6T

ART NO. **WHIPS**
JSH-14



Material: Aluminium ADC12
Size: Φ48 X 62mm
Weight: About 190g

ART NO. **WHIPS**
JSH-15



Material: Aluminium ADC12
Size: Φ58 X 61mm
Weight: About 160g

ART NO. **WHIPS**
JSH-16



Material: Alu. ADC12
Size: φ50X 58mm
Weight: About 180g

ART NO. **WIRE BRUSH**
JWB-01



Size: φ150mm/200mm
Hole Size: 25.4mm



JSHH-01
Cheapest



JSHH-03
Single; 2 hook



JSHH-04
Single; fast off;
Leather shoulder pad



JDSH-01
Double; H



JDSH-02
Double; Tie waist



JDSH-03
Double;cushion &fast
off; H



JSHH-05
Single; 4 buckle;
Leather shoulder pad



JSHH-06
Single; with plastic plate



JSHH-07
Single; fast off;SH



JDSH-04
Double;cushion &fast
off; H



JDSH-05
Double;cushion &fast
off; H



JDSH-06
Double; M



JBSH-02
Single; Tie waist



JBSH-02A
Double; cushion &
fast off



JBSH-03
Double; M



JBSH-04
Double; M

PROTECTIVE COVER

PS-01



PS-02



PS-03



PS-04



PS-05



PS-06




PS-07



PS-08






GB 001



GB 002



GB 003



GB 004



GB 005

CE



GB 006



GB 007



GB 008

CE



GB 009-1



GB 009-2



GB 010



GB 013-1



GB 013-2



GB 013-3



GB 022

CE



GB 014-1



GB 014-4

CE



GB 014-5

CE



GB 014-6

CE



GB 014-2

CE



GB 014-3

CE



GB 014-7

CE



GB 018



GB 021

DREAM VALUE WIN-WIN RESONANCE

We are a team made up of people with the same dream. We continuously conduct organizational behaviors to realize personal value, team value, social value and customer value. We pursue long-term win-win with you and hope to resonate with you.

